

Notes:

All work is to be carried out to the latest current British Practice and recognised working practices.

All work and materials should comply with Health and Safety leg All dimensions are in millimetres unless where explicitly shown other

The contractor should check and certify all dimensions as work proc and notify the agent of any discrepancies.

Do not scale off the drawings, if in doubt ask.

Hussain Architectural Design are not liable for any work undertal to Full Planning Consent and or Building Regulations Approval

CDM REGULATIONS 2015 CDM REGULATIONS 2015 The client must abide by the Construction Design and Management Regulations 2015. The client must appoint a contractor, if more than on contractor is to be involved, the client will need to appoint (in writing) a plesign work) and a principal contractor (in plan, manage and or administ the construction and ensure there are arrangements in place for manag and organising the project).

Domestic clients The domestic client is to appoint a principal designer and a principal contractor when there is more than one contractor, if not your duties will automatically transferred to the contractor or principal contractor. The designer can take on the duties, provided there is a written agreeme between you and the designer to do so.

The Health and Safety Executive is to be notified as soon as possible before construction work starts if the works: (a) Last longer than 30 working days and has more than 20 workers working simultaneously at any point in the project. Or:

(b) Exceeds 500 person days

(b) Exceeds 500 person days. PARTY WALL ACT The owner, should they need to do so under the requirements of the Party Wall Act 1996, has a duy to serve a Party Structure Notice on any adjoining owner it building work on, to or near an existing Party Wall use upport of baran Insertion of DPC through wall Raising a wall or cutting off projections Demolition and rebuilding Underpinning Insertion of lead flashings Excavations within 3 metres of an existing structure where the new foundations will go deeper than adjoining foundations, or within 6 metres of an existing structure where the new foundations are within a 45 degree line of the adjoining foundations. A Party Wall Agreement is to be in place prior to start of works on site. TEEDML PROFERING

THERMAL BRIDGING Care shall be taken to limit the occurrence of thermal bridging in the insulation layers caused by gaps within the thermal element, (i.e. aroun windows and door openings). Reasonable provision shall also be made ensure the extension is constructed to minimise unwanted air leakage through the new building fabric.

MATERIALS AND WORKMANSHIP All works are to be carried out in a workmanlike manner. All materials an workmanship must comply with Regulations 7 of the Building Regulations all relevant British Standards, European Standards, Agreement Certificates, Product Certification of Scheme S(KIK Marks) etc. Products conforming to a European technical standard or harmonised European product should have a CE marking.



Hussain Architectural Design Litd

44 Standish Street Burnley BB11 1AP

www.hussainarchitecture.co.uk 01282 451428

Title: 232 Dean Lane Speedy Salvage Rossendale BB4 9RB

Existing / Proposed Plans

Project No: HAD106-01

Drawn: SH Client: Mr Ali Paper: A3 Scale: 1:100

Date: 13-02-2018 Amendments:



